

Paradise Marimba



User's Guide

Table of Contents

Preface	4
Achieving Realism.....	4
What's Under the Hood?.....	4
Installation	5
Extracting the RAR Files.....	5
Loading in KONTAKT	5
KONTAKT Sample Library Organization.....	5
Mapping	7
A - Normal Hit Keyswitch (Latching).....	7
B - Stick Noise Effect.....	7
C - Muted Hit Keyswitch (Latching).....	7
D - Repeat Last Note.....	7
E - Standard Playing Range.....	7
Interface: Mix.....	8
Close, Mid, Far.....	8
Volume	8
Width.....	8
High / Mid / Low.....	8
Output	9
Mute	9
Solo	9
Interface: Play	10
Velocity - Low Vel	10
Velocity - High Vel	10
Velocity - Curve	10
Rolls - MIDI CC #	10
Rolls - Stick Noise	10



Paradise Marimba

Rolls - Roll Speed	11
Rolls - Low Vel	11
Rolls - High Vel.....	11
Interface: Setup.....	12
Perspective	12
Resonators.....	12
Envelope - Attack	12
Mallets.....	12
Samples - Shift.....	13
Automation	14
Built-in Automation System	14
License Agreement	15
Credits	16
Contact.....	17



Preface

Thank you for purchasing the **Paradise Marimba** sample library!

We developed **Paradise Marimba** in collaboration with Chris Poehler of Lujon Audio, who arranged and oversaw the entire sample recording as well as contributing his invaluable expertise to the production of the sample library itself. **Paradise Marimba** features 3.9 gigabytes of high-quality 24-bit samples (compressed down to 1.4 GB), powered by KONTAKT's extensive scripting engine.

The marimba recording session was engineered by Michael Aarvold at the WaterSound Productions studio in the heart of Studio City, California.

Achieving Realism

We always aim to recreate the playability of the real instrument as closely as possible. For example, we modeled the kinetic energy of the marimba's tines, allowing you to soften loud hits with subsequent soft hits. This also prevents the unnatural, excessive tonal build-up that many synthesized marimbas exhibit when playing rolls and repeated notes.

We also sampled a muted articulation where you hit the marimba tines, but hold the mallet against the tine to quickly mute it rather than letting the mallet bounce like usual. This is a great effect if you need a sharp, quick note.

What's Under the Hood?

The advanced scripting in **Paradise Marimba** adds a great amount of realism and playability. For example, during the recording mixdown process, we kept each mic signal separate in order to give you control over the blend of the various mic positions. This gives you a great amount of tonal flexibility.

We sampled each of the 5 octaves of tines chromatically, with four dynamic layers and up to 11 alternating round-robin samples for variation.

Paradise Marimba also includes a robust roll engine to make it easy and convenient to play realistic marimba rolls. When playing rolls, the notes are divided between both hands the same way a real marimba player would. We've also included the occasional clicking sound that the sticks make when playing 4-note rolls.

We hope you enjoy **Paradise Marimba**!



Installation

Extracting the RAR Files

The first thing you need to do when installing **Paradise Marimba** is to extract the RAR files that you downloaded, which can be done using 7-Zip (Windows), or UnRarX (Mac). The main thing you need to bear in mind when extracting the RAR files is that all the files need to ultimately extract into the same "Paradise Marimba" folder.

Begin with extracting the "ParadiseMarimba-Engine.rar" file, which includes all the core files necessary to play **Paradise Marimba**, including the main patch to load in KONTAKT, documentation, and the preset files.

Next, extract the "ParadiseMarimba-Samples.part1.rar" file. You only need to extract this first part and none of the other parts, because the RAR extraction software will automatically draw the files from these other RARs in the process. In the event that the files get extracted into a different folder (with an alternate name, with a "1" at the end, for instance), just move the "Samples" subfolder back into the main "Paradise Marimba" folder.

After extracting the RAR files by following the above instructions, your installation is now complete!

Loading in KONTAKT

After launching KONTAKT in standalone or as a plugin in your DAW, click the "Files" dropdown at the top of KONTAKT's interface, and click "Load...". Navigate to the "Paradise Marimba" folder that was created during the extraction of the library, and open the "Paradise Marimba.nki" file.

TIP: If the patch doesn't load, displaying an error, please ensure that you have the very latest version of KONTAKT. Updating KONTAKT is a quick and easy process using the Native Instruments Service Center.

KONTAKT Sample Library Organization


As your collection of KONTAKT libraries expands, it's important to keep them organized. For example, keep them all within a main "KONTAKT Sample Libraries" folder rather than scattered around your hard drive. Backing up the installation files for your sample libraries is also a good idea.



The next step in organizing your sample libraries is in KONTAKT itself. One of the benefits of storing your sample libraries all in the same place is that it makes finding them faster when manually loading them. For KONTAKT Player instruments, there's the library tab, which is also a useful shortcut to access instruments, but unfortunately is limited to only the libraries that license the KONTAKT Player. One of the best library organization methods that KONTAKT includes is the Quick Load menu. This allows you to sort shortcuts to your libraries in any folder/subfolder format you wish, and can be quickly accessed with a single right-click in any empty area of the multi-rack (the large portion of KONTAKT's interface that displays the loaded instruments).



Mapping



A - Normal Hit Keyswitch (Latching)

Pressing this key sets the articulation to the default, unmuted articulation. This keyswitch latches with the other articulation selection keyswitch (see C). Between these two keyswitches, you can switch between both unmuted and muted articulations.

B - Stick Noise Effect

This key triggers the sound of the marimba sticks accidentally hitting each other, creating a subtle "click" sound.

C - Muted Hit Keyswitch (Latching)

This keyswitch sets the articulation to the muted articulation. The marimba performer plays this articulation by hitting the tine with the mallet, but rather than letting the mallet bounce after the strike, holds the mallet against the tine to quickly mute it.

D - Repeat Last Note

Pressing this key repeats the last played note in the stanThis area of the keyboard has the primary range of sampled notes.

E - Standard Playing Range

This area of the keyboard has the primary range of sampled notes.



Interface: Mix



Close, Mid, Far

This top row of buttons allows you to enable and disable the individual mic positions. Unlike simply muting mic position channels, disabling a mic position also unloads the samples from memory, saving you RAM. That way you can load only the samples for mic positions you wish to use in the mic mix.

Volume

The slider labeled "VOL" controls the overall volume of the mic signal. At the maximum value, "+0.0", the mic channel is at its full, as-recorded volume. The marimba samples were recorded so that when all three mic positions are at their full volumes, the full mix reaches a maximum peak of -6.0 dB as to completely avoid intersample clipping as well as leaving you headroom for playing multiple notes at once.

Width

This control adjusts the stereo width of the mic channel. At 0%, the channel is at mono, whereas 100% pans the stereo channels fully left and right. The downside to panning the stereo channels completely left and right is that it would overemphasize the natural panning of the pitch range, from the lowest to highest tines. These controls default to narrower values in order to give you a more natural stereo width.

High / Mid / Low

This boosts or attenuates the high, mid, or low frequencies in the mic signal. If you need more control over each mic signal's EQ, we highly recommend using the individual audio output options in order to use your own EQ plugins.



Output

The dropdown menu labeled "OUT" allows you to send the mic position signal out to a different audio output. In order to use multiple audio outputs, you'll need to use the multi-output version of the Kontakt plugin. This capability is especially useful for applying your own plugins to individual mic signals, giving you far greater control than the mixing options available in **Paradise Marimba**' own interface.

Mute


This mutes the mic position while still keeping the samples loaded. Using the mute option is useful for temporarily silencing a channel as a mixing aid. If you wish to turn off a mic position completely, you should use the enable/disable toggle button at the top of each mic position channel instead, since it unloads the unused samples to save memory.

Solo

This mutes all other mic positions, allowing you to preview the mic channel by itself. Similar to the mute button, this option is useful as a mixing aid.



Interface: Play



Velocity - Low Vel

This adjusts the lowest velocity possible, limiting the velocity response, either allowing you to compensate for differences in your MIDI controller's action, or to simply bias the velocity towards lower dynamics.

Velocity - High Vel

This adjusts the highest velocity possible, limiting the velocity response, either allowing you to compensate for differences in your MIDI controller's action, or to simply bias the velocity towards higher dynamics. For example, if the highest velocity you can play on your MIDI keyboard ends up being around 120 rather than a full 127, you could set the high velocity control to 120 to essentially interpret a velocity of 120 as the full 127 (and scale everything in between).

Velocity - Curve

This sets the exact curve of the velocity response, from the default linear curve to controllable degrees of convex or concave exponential curves.

Rolls - MIDI CC

Sets the MIDI CC that plays the rolls. By default, it's set to the mod wheel (CC #1), though you can assign it to any other CC you want.

Rolls - Stick Noise

When playing rolls of 4 or more notes, it's common for the mallets to accidentally hit each other, which adds occasional clicking noises. You can change the overall volume of this effect using this control, or turn it all the way down to disable the feature entirely.



Rolls - Roll Speed

Controls the overall speed of the rolls.

Rolls - Low Vel

Although the dynamic of the rolls is controlled using a MIDI CC (mod wheel by default), you can use this knob to adjust the lower dynamic of the rolls--that is, the dynamic of the rolls when the MIDI CC is at its lowest point.

Rolls - High Vel

This controls the velocity of the rolls when the roll MIDI CC is at its highest point.



Interface: Setup



Perspective

This swaps the left and right channels, allowing you to switch the perspective of the marimba between the player's perspective, wherein the lowest tines would be oriented on the left and the highest tines on the right, and the audience's perspective: lowest tines on the right and highest tines on the left.

Resonators

As Recorded - This is the natural, unaffected sound of the marimba in the sample library.

Standard - The marimba we sampled for **Paradise Marimba** has special enhanced resonators, which have a very warm, full tone. This "standard" resonator setting uses an EQ to emulate a more typical marimba tone.

Vintage - This option enables an EQ to model a vintage marimba tone, which is brighter and with less prominent low-mid frequencies.

Envelope - Attack

Adds an artificial amount of attack time to the samples, allowing you to fade in the notes.

Mallets

Standard - Sets the bottom two octaves of the playing range to use standard marimba mallets.

Bass - Sets the bottom two octaves to use softer bass marimba mallets instead.



Samples - Shift

This control shifts the samples used for each key in order to dramatically change the tone of the marimba. In other words, if you set the shift control to "+1" and play middle C, it will actually use the B sample immediately below instead, tuned up to a C. In this sense, it results in the same pitch, only brighter.



Automation

Built-in Automation System

Paradise Marimba has the ability to integrate with KONTAKT's powerful automation system, which means that you can assign a MIDI continuous controller to directly affect a control, whether used for real-time playing or for sequencing. Most of the controls in **Paradise Marimba** 's interface can be automated. This is achieved by two methods. Firstly, you can right-click on any automatable knob and use the MIDI learn option to assign the MIDI CC #. The second method is to manually drag a MIDI CC # from the listing of CCs in KONTAKT's automation section on KONTAKT's left sidebar onto one of the knobs on **Paradise Marimba**' interface. This is accessed in the "Auto", then "Midi Automation" tab.

TIP: You can also set the automation ranges for MIDI CCs in KONTAKT's MIDI automation tab. This is helpful if you want to limit the range of controllers.



License Agreement

Orange Tree Samples produced all of these sounds and retains all rights to these sounds.

You may use the samples included for commercial or non-commercial music productions. You do not need to credit Orange Tree Samples.

This license to use the sounds granted to the original purchaser of the sounds and is not transferable without the consent of Orange Tree Samples.

You may not create any other sample-based product that uses sounds from Orange Tree Samples. This includes making other sample libraries that use Orange Tree Samples sounds as source material.

You may not copy, edit, distribute or sell the original soundsets without the written permission of Orange Tree Samples.

The software is provided to the user "as is". Orange Tree Samples makes no warranties, either express or implied, with respect to the software and associated materials provided to the user, including but not limited to any warranty of fitness for a particular purpose. Orange Tree Samples does not warrant that the functions contained in the software will meet your requirements, or that the operation of the software will be uninterrupted or error-free, or that defects in the software will be corrected.

Orange Tree Samples does not warrant or make any representations regarding the use or the results of the use of the software or any documentation provided therewith in terms of their correctness, accuracy, reliability, or otherwise. No information or advice given by Orange Tree Samples shall create a warranty or in any way increase the scope of this warranty.

Orange Tree Samples is not liable for any claims or damages whatsoever, including property damage, personal injury, intellectual property infringement, loss of profits, or interruption of business, or for any special, consequential or incidental damages, however caused.



Credits

Production, scripting, graphics:

Greg Schlaepfer

Production, consultation:

Chris Poehler (Lujon Audio)

Engineering, mixing:

Michael Aarvold

Sample processing:

Elan Hickler (Soundemote)

Beta testing:

James Michael Wolk, David Reinstein, Richard Penrose, Geert Bevin, Perry D'Armond, Blake Robinson, Frederic Moueza, Jani Kaataja, Bob Bergen, Bill Thompson, Alejandro Tiscornia, Jonathan Timpe, Patrick Fitzsimons, Andrew Silagy, Charlotte Partt, Joshua Cohen, Doug LeBow, Jason Castle, Tony Ostinato, Ben Horwood, Dave Francis, Kobi Rivlin, Keith Levenson, Aaron Fultz, Leandro Gardini, Jordan Gagne, Thomas Mavian, Alexander Mathias, Joshua Cipolla, Duane Neillson

Special thanks to:

Oriana Schlaepfer, Peter DeLegge



Contact

We'd love to hear from you! If you have any questions, comments, or suggestions for the improvement of our products, please don't hesitate to contact us. For the latest updates on what's going on at Orange Tree Samples, you can subscribe to our newsletter from the Orange Tree Samples website, and visit us on Facebook.

Email: admin@orangetreesamples.com

Website: orangetreesamples.com

Social:

orangetreesamples.com/facebook

orangetreesamples.com/googleplus

orangetreesamples.com/twitter

Thank you once again for supporting Orange Tree Samples! It is our sincere pleasure to provide you with high-quality, affordable sample libraries.

Orange Tree Samples, Paradise Marimba are trademarks property of Orange Tree Samples.

*Native Instruments, KONTAKT, 7-Zip, UnRarX, WaterSound Productions,
Lujon Audio, are trademarks property of their respective owners.*

© 2008-2015 Orange Tree Samples. All Rights Reserved.

